



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD

LOG M-00810

MAR 19 8 35 AM '99

FILE: 6446.6

2100

George V. Voinovich
Governor

March 16, 1999

RE: DOE FEMP
APPROVAL: PSP FOR AREA 9, PHASE I
PRECERTIFICATION PHYSICAL
SAMPLING AND REAL-TIME
SCANNING

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

Dear Mr. Reising:

Ohio EPA has reviewed DOE's March 8, 1999 submittal of the "Project Specific Plans for Area 9, Phase I Precertification Physical Sampling and Real-Time Scanning" and Response to Comments. Based upon this review Ohio EPA approves these reports.

If you have any questions, please contact Michelle Waller or me.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Mark Shupe, HSI GeoTrans
Ruth Vandergrift, ODH
Francie Hodge, Tetra Tech

Q:\FEMP\OU5\A9P1\PSPAPP.WPD

